

## 25000 liters tank in Stainless 304



318 000 SEK /st exkl moms

**Additional information:** food industry

**Volumetric volume (L):** 25.000 L

**Pressure in tank:** pressure

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 510 L

**Max Overpressure:** 3 Bar

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** available

**Agitator:** yes

**Number of revolutions:** 15 / 30

**Power:** 4.4 / 7.5

**Internal diameter tank:** 2.800 mm

**Total height of tank:** 6.300 mm

**SKU:** 487530

Mer information



## Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: isolert med varmeveksler

Mobile Tank: No, it is not.

Övrig information: food industry; we can't give any guarantees about the heating/cooling jacket;  
we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 25000

## Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

## Material Overview

Material: Stainless steel 304

## Tank Dimensions

Internal diameter: 2,800 mm

Total Height: 6.300 mm

## Stirrer

Power (kW): 4.4 / 7.5

Speed (RPM): 15 / 30



**Mer**

Isolated: Yes