

25961 liter tank in Acid-proof 316



212 000 SEK /st exkl moms

Additional information: textile factory; 1 manhole 350 x 450 mm in the front bottom; lime residues; dents at the insulation jacket; pipe end cut flush

Volumetric volume (L): 25.961 L

Pressure in tank: pressure

Max. pressure (Bar): 4 Bar

Material wet parts: SS AISI 316 (V4A)

Model: horizontal

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 4 Bar

Fixation point(s): galvanised steel

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 200

Top: 40 mm

Cylinder: 3,50 mm

Bottom: 5,10 mm

Internal diameter tank: 2.090 mm

Total height of tank: 2.750 mm



Total outer length: 8.300 mm

SKU: 389657

Mer information

Product Description

Material: Acid-resistant 316

Model: Horizontal

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: textile factory; 1 manhole 350 x 450 mm in the front bottom; lime residues;dents at the insulation jacket;pipe end cut flush

Agitator: No

Overpressure: 4 bars

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 25961

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.



Material Overview

Material: Acid-resistant 316

Fixing point(s): galvanized steel

Tank Dimensions

Internal diameter: 2,090 mm

Total Height: 2,750 mm

Tjocklek på tank

Bottom: 5,10 mm

Cylinder: 3,50 mm

Top: 40mm

Mer

Isolated: Yes