2600 liter tank in 304 stainless steel

43 000 SEK /st exkl moms

Additional information: Wine storage; Manhole approx. 300 x 400 mm; 3 loose insert feet each with 3 height-adjustable screws made of Fe (insert sleeves welded to the tank also made of Fe)
Volumetric volume (L): 2,600 L
Pressure in tank: ATM - atmospheric
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: 25
Internal diameter tank: 1,350 mm
Cylinder height: 1,690 mm
Total height of tank: 2.650 mm
Empty weight tank: 650

SKU: 405413

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: Wine storage; Manhole approx. 300 x 400 mm; 3 loose insert feet each with 3 height-adjustable screws made of Fe (insert sleeves welded to the tank also made of Fe)
Agitator: No
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 2600

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.690 mm
Internal diameter: 1.350 mm
Total Height: 2,650 mm

Mer

Isolated: No
Weight: 650

Rodervägen 57
891 78 Bonässund
info@processoverskott.se