261 liter tank in Acid-proof 316

38 000 SEK /st exkl moms

Additional information: Diameter of hand hole approx. 150 mm; 2 of the feet are shorter than the other two feet (see photos; take this into account when setting up the vessel); some residues of previous content
Volumetric volume (L): 261 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: available

Agitator: yes
Number of revolutions: 920
Power: 0,65
Internal diameter tank: 600 mm
Cylinder height: 790 mm

Total height of tank: 1.880 mm

SKU: 490296

Mer information

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: Chemistry; Diameter of hand hole approx. 150 mm; 2 of the feet are shorter than the other two feet (see photos; take this into account when setting up the vessel); some residues of previous content;
Additional Information2: we can't give any guarantees about the agitator
Agitator: Yes
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 261

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 790 mm
Internal diameter: 600 mm
Total Height: 1.880 mm

Stirrer

Power (kW): 0,65
Speed (RPM): 920

Mer
Isolated: No