267 liter tank in Stainless 304

44 000 SEK /st exkl moms

Additional information: pharmacy; The feet can be rolled (with parking brake); some residues of previous content
Volumetric volume (L): 267 L
Pressure in tank: pressure and vacuum
Max. pressure (Bar): 3,20 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 145 °C
Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: 38
Internal diameter tank: 490 mm
Outer diameter tank: 500 mm

Cylinder height: 1.100 mm
Total height of tank: 2.050 mm

SKU: 424772

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: single-skin
Max. Service Temperature: 145 °C
Mobile Tank: No, it is not.
Övrig information: pharmacy; The feet can be rolled (with parking brake); some residues of previous content
Agitator: No
Overpressure: 3,20 bar
Complete Drainage: Yes
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 267

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.100 mm
Internal diameter: 490 mm
Total Height: 2,050 mm
Outer diameter: 500 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer
Isolated: No

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor