270 liter tank in Acid-proof 316

19 000 SEK /st exkl moms

Additional information: Biochemistry; Diameter of hand hole approx. 260 mm (hand hole lid plated); build-up and metallic discoloration inside the vessel
Volumetric volume (L): 270 L
Pressure in tank: pressure
Max. pressure (Bar): 2 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Min. pressure (Bar): 2 Bar

Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Outlet of tank: 52
Internal diameter tank: 690 mm
Cylinder height: 670 mm
Total height of tank: 2.120 mm

SKU: 564637

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: Biochemistry; Diameter of hand hole approx. 260 mm (hand hole lid plated); adhesions and metallic discoloration inside the vessel
Agitator: No
Overpressure: 2 bars
Complete Drainage: Yes
Vacuum Pressure:
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 270

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 670 mm
Internal diameter: 690 mm
Total Height: 2.120 mm

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer
Isolated: No

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor