

2700 liter tank in Acid-proof 316



107 000 SEK /st exkl moms

Additional information: transport tank for viscous gels; Technical drawing includes structural changes

Volumetric volume (L): 2.700 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 0,99 Bar



Min. pressure (Bar): 0,50 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 90 L

Max Overpressure: 0,50 Bar

Max. working temperature: 50 °C

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 95

Internal diameter tank: 1.500 mm

Outer diameter tank: 1.600 mm

Cylinder height: 1.000 mm

Total height of tank: 2.900 mm

Total outer width: 1.700 mm

Total outer length: 2.300 mm

Empty weight tank: 850

SKU: 390155



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated with heat-exchanger

Max. Service Temperature: 50 °C

Mobile Tank: No, it is not.

Övrig information: transport tank for viscous gels; Technical drawing includes structural changes; we can't give any guarantees about the heating/cooling jacket

Agitator: No

Overpressure: 0,99 bar

Complete Drainage: Yes

Vacuum Pressure: 0,50 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 2700

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316



Tank Dimensions

Cylinder Height: 1.000 mm
Internal diameter: 1.500 mm
Total Height: 2,900 mm
Outer diameter: 1.600 mm

Mer

Heat Exchanger: RVS 304
Isolated: Yes
Weight: 850