

2700 liters tank in Stainless 304





124 000 SEK /st exkl moms

Additional information: Manhole approx. 335 x 445 mm; CE marking and declaration of conformity only available for 2 vessels; some residues of previous content

Volumetric volume (L): 2.700 L

Pressure in tank: pressure

Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 3 Bar

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 10 L

Max Overpressure: 3 Bar

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN32 DIN 11851

Internal diameter tank: 1.450 mm

Outer diameter tank: 1.650 mm

Cylinder height: 1.250 mm

Total height of tank: 2.450 mm

SKU: 489772



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: insulated with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Brewery; Indicated total height according to drawing; we can't give any guarantees about the heating/cooling jacket

Additional Information2: heating/cooling jacket

Agitator: No

Overpressure: 3 bars

Complete Drainage: Yes

Vacuum Pressure: 3 bars

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 2700

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304



Tank Dimensions

Cylinder Height: 1.250 mm
Internal diameter: 1.450 mm
Total Height: 2,550 mm
Outer diameter: 1.650 mm

Mer

Isolated: Yes