

27000 liters tank in Acid-proof 316



239 000 SEK /st exkl moms

Additional information: Extensive documentation available; tank by now already dismantled and warehoused horizontally; standing frame made of Aisi 304

Volumetric volume (L): 27.000 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 0,50 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 50 °C

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN65

Cylinder: 8 mm

Bottom: 7 mm

Internal diameter tank: 2.384 mm

Outer diameter tank: 2.400 mm

Cylinder height: 5.400 mm

Total height of tank: 6.845 mm

SKU: 477601

Mer information



Product Description

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single-skin

Max. Service Temperature: 50 °C

Mobile Tank: No, it is not.

Övrig information: Extensive documentation available; tank by now already dismantled and warehoused horizontally; standing frame made of Aisi 304

Agitator: No

Overpressure: 0,50 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Volume in liters: 27000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Tank Dimensions

Cylinder Height: 5.400 mm

Internal diameter: 2,384 mm

Total Height: 6.845 mm

Outer diameter: 2,400 mm

Tjocklek på tank

Bottom: 7 mm

Cylinder: 8 mm

Mer

Isolated: No