

2732 liters tank in Stainless 304



64 000 SEK /st exkl moms

Additional information: chemistry; total height incl. agitator shaft; handhole diameter 200 mm; motor-/gear is missing; handhole cover is missing

Volumetric volume (L): 2.732 L

Pressure in tank: pressure

Max. pressure (Bar): 0,50 Bar



Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 51 L

Max Overpressure: 6 Bar

Max. working temperature: 80 °C

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 25

Agitator: yes

Internal diameter tank: 1.690 mm

Cylinder height: 970 mm

Total height of tank: 2.200 mm

SKU: 393149



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single jacketed with heat-exchanger

Max. Service Temperature: 80 °C

Mobile Tank: No, it is not.

Övrig information: chemistry; total height incl. agitator shaft; handhole diameter 200 mm; motor-/gear is missing; handhole cover is missing; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 0,50 bar

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 2732

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 970 mm

Internal diameter: 1.690 mm

Total Height: 2,200 mm



Mer

Heat Exchanger: RVS 304

Isolated: No