

27550 liter tank in Syrafast 316



277 000 SEK /st exkl moms

Additional information: Total height without taking the agitator into account

Volumetric volume (L): 27.550 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 1 Bar



Min. pressure (Bar): 0,25 Bar

Max. temperature (°C): 100 °C

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN100

Agitator: yes

Number of revolutions: 78

Power: 2,50

Top: 6 mm

Cylinder: 5 mm

Bottom: 7 mm

Internal diameter tank: 2.600 mm

Cylinder height: 4.570 mm

Total height of tank: 6.450 mm

SKU: 475576



Mer information

Product Description

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single-skin

Max. Service Temperature: 100 °C

Mobile Tank: No, it is not.

Övrig information: Total height without taking the agitator into account; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 1 bar

Complete Drainage: Yes

Vacuum Pressure: 0,25 bar

Pressure Vessel: Yes

Heating / Cooling: No

Volume in liters: 27550

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Tank Dimensions

Cylinder Height: 4.570 mm

Internal diameter: 2.600 mm

Total Height: 6.450 mm

Stirrer

Power (kW): 2,50

Speed (RPM): 78



Tjocklek på tank

Bottom: 7 mm

Cylinder: 5 mm

Top: 6 mm

Mer

Isolated: No