

28100 liter tank in Acid-proof 316



192 000 SEK /st exkl moms

Additional information: Vessel with dents in the cylinder (vacuum damage; see photos); diameter manhole cylinder approx. 600 mm; base ends cut off; 3 dip pipes inside the tank; specified total height incl. connection ring pipe in the upper bottom; outlet with flanged reducing valve; some residues of previous content

Volumetric volume (L): 28.100 L



Pressure in tank: pressure

Max. pressure (Bar): 1 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN100

Top: 5 mm

Cylinder: 5 mm

Bottom: 8 mm

Internal diameter tank: 2.600 mm

Cylinder height: 4.594 mm

Total height of tank: 7.700 mm

SKU: 475993

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Max. Service Temperature: 100 °C

Mobile Tank: No, it is not.

Övrig information: Chemistry; Tank with dents in the cylinder (vacuum damage; see photos); cylinder manhole diameter approx. 600 mm; feet ends cut off; 3 immersion pipes inside the tank; specified total height

Additional Information2: including ring line connection in the upper bottom; outlet with flanged, reducing fitting; some residues of previous content

Agitator: No

Overpressure: 1 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 28100

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 4.594 mm

Internal diameter: 2.600 mm

Total Height: 7,700 mm

**Tjocklek på tank**

Bottom: 8 mm

Cylinder: 5 mm

Top: 5 mm

Mer

Isolated: No