29000 liters tank in Stainless 304

167 000 SEK /st exkl moms

Volumetric volume (L): 29.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Configuration: single-skin

Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes
Max. working temperature: 20 °C

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: DN65 DIN 11851
Internal diameter tank: 3.100 mm
Cylinder height: 3.500 mm
Total height of tank: 4.650 mm

SKU: 565358

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single jacketed with heat-exchanger
Mobile Tank: No, it is not.
Övrig information: Food
Agitator: No
Complete Drainage: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 29000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3.500 mm
Internal diameter: 3.100 mm
Total Height: 4.650 mm

Mer

Isolated: No

Rodervägen 57
891 78 Bonässund
info@processoverskott.se