2930 liter tank in Acid-proof 316

95 000 SEK /st exkl moms

Additional information: Pharmaceutical Chemistry; 1 manhole diameter 500 mm in the front bottom; smaller dents in the insulating jacket; manhole cover plated
Volumetric volume (L): 2.930 L
Pressure in tank: pressure and vacuum
Max. pressure (Bar): 3,20 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C
Material wet parts: SS AISI 316 (V4A)
Model: horizontal
Configuration: insulated
Heat exchanger: no

Insulation: yes
Mobile tank: no
Total discharge: yes
Max Overpressure: 3,20 Bar
Max onderdruk: 1 Bar

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: flange DN40

Internal diameter tank: 1.190 mm
Outer diameter tank: 1.320 mm
Total height of tank: 2.200 mm
Total outer length: 3.150 mm

SKU: 414131

Mer information

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Product Description

Material: Acid-resistant 316
Model: Horizontal
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: insulated
Max. Service Temperature: 200 °C
Mobile Tank: No, it is not.
Övrig information: Pharmaceutical Chemistry; 1 manhole diameter 500 mm in the front bottom; smaller dents in the insulating jacket ; manhole cover plated
Agitator: No
Overpressure: 3,20 bar
Complete Drainage: Yes
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 2930

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Internal diameter: 1,190 mm
Total Height: 2,200 mm
Outer diameter: 1,320 mm

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer
Isolated: Yes