

300 liter tank in Acid-proof 316



58 000 SEK /st exkl moms

Additional information: Cosmetics; some residues of previous content

Volumetric volume (L): 300 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3,50 Bar



Min. pressure (Bar): 0,20 Bar

Max. temperature (°C): 55 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN50 DIN 11851

Agitator: yes

Number of revolutions: 700

Power: 0,75

Internal diameter tank: 690 mm

Cylinder height: 670 mm

Total height of tank: 2.250 mm

SKU: 431495

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single-skin

Max. Service Temperature: 55 °C

Mobile Tank: No, it is not.

Övrig information: Cosmetics; some residues of previous content; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 3,50 bar

Complete Drainage: Yes

Vacuum Pressure: 0,20 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 300

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 670 mm

Internal diameter: 690 mm

Total Height: 2.250 mm



Stirrer

Power (kW): 0,75

Speed (RPM): 700

Mer

Isolated: No