

300 liter tank in Stainless 304



29 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: The wheels, manhole flange and closures for the manhole are missing, a new lid with closures = €1900; Special flange on the outlet, we can adjust this to a connection of your choice, this costs €474. We can modify the tank for you, contact us without obligation for your quote.

Volumetric volume (L): 300 L

Ra inner weld: 0,80

Pressure in tank: pressure and vacuum

Design pressure (Bar): 3 Bar

Max. pressure (Bar): 4 Bar

Min. pressure (Bar): -1 Bar



Max. temperature (°C): 132 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: conical

Bottom outlet: yes

Total discharge: yes

Fixation points: 4 non adjustable feet

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Tank outlet: inside Ø 50 mm

Agitator: no

Top: 5 mm

Cylinder: 3 mm

Bottom: 5 mm

Distance from outlet to ground: 290 mm

Outer diameter tank: 720 mm

Cylinder height: 650 mm

Total height of tank: 1.430 mm

Total outer width: 762 mm

Total outer length: 780 mm

SKU: 433373

Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Tank design pressure: 3 bars

Configuration: single-skin

Max. Service Temperature: 132 °C

Mobile Tank: No, it is not.

Övrig information: The wheels, manhole flange and closures for the manhole are missing, a new lid with closures = €1900; Special flange on the outlet, we can adjust this to a connection of your choice, this costs

Additional Information2: We can modify the tank for you, contact us without obligation for your quote.

Agitator: No

Overpressure: 4 bars

Ra Internal Weld: 0,80

Tank Shape: cylindrical

Complete Drainage:

Bottom Type: conical

Vacuum Pressure: -1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 300

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Food-grade: Yes

Tank Outlet: inside Ø 50 mm

Technical Drawing Available: No, it is not.



Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304

Tank Dimensions

Cylinder Height: 650 mm

Outlet Height to Ground: 290 mm

Total Height: 1.430 mm

Outer diameter: 720 mm

Tjocklek på tank

Bottom: 5 mm

Cylinder: 3 mm

Top: 5 mm

Mer

Isolated: No