

300 liter tank in Stainless 304



44 000 SEK /st exkl moms

Additional information: Food industry; Diameter manhole appr. 420 mm; pipe end cut flush

Volumetric volume (L): 300 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 50

Agitator: yes

Number of revolutions: 152

Power: 0,55

Internal diameter tank: 900 mm

Cylinder height: 600 mm

Total height of tank: 1.800 mm

Empty weight tank: 375

SKU: 425744

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Food industry; Diameter manhole appr. 420 mm; pipe end cut flush; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 300

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 600 mm

Internal diameter: 900 mm

Total Height: 1.800 mm

Stirrer

Power (kW): 0,55

Speed (RPM): 152



Mer

Isolated: No

Weight: 375