

300 liter tank in Stainless 304



246 000 SEK /st exkl moms

Additional information: pharmacy; Stainless steel frame with 2 plastic wheels; handle hole diameter approx. 200 mm; 1 built-in control cabinet; the vessel was inspected and tested by the previous operator

Volumetric volume (L): 300 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 144 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 33 L

Max Overpressure: 5 Bar

Max onderdruk: 1 Bar

Max. working temperature: 144 °C

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 35

Agitator: yes

Power: 0,37

Internal diameter tank: 600 mm

Outer diameter tank: 720 mm

Total height of tank: 2.100 mm

Total outer width: 950 mm

Total outer length: 1.250 mm

SKU: 488526



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated with heat-exchanger

Max. Service Temperature: 144 °C

Mobile Tank: No, it is not.

Övrig information: pharmacy; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Additional Information2: any guarantees about the agitator

Agitator: Yes

Overpressure: 3 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 300

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304



Tank Dimensions

Internal diameter: 600 mm

Total Height: 2.100 mm

Outer diameter: 720 mm

Stirrer

Power (kW): 0,37

Mer

Isolated: Yes