3000 liter tank in 304 stainless steel

47 000 SEK /st exkl moms

Additional information: Manhole approx. 400 x 510 mm; 2 pipes inside the vessel; some residues of previous content
Volumetric volume (L): 3.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: yes
Position of manway: cylinder

Outlet of tank: 83
Internal diameter tank: 1.600 mm
Cylinder height: 1.500 mm
Total height of tank: 2.500 mm

SKU: 458729

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: Dairy; Manhole approx. 400 x 510 mm; 2 pipes inside the tank; some residues of previous content
Agitator: No
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 3000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: Yes
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.500 mm
Internal diameter: 1.600 mm
Total Height: 2.500 mm

Mer

Isolated: No

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor