3000 liter tank in 304 stainless steel

53 000 SEK /st exkl moms

Additional information: Plant active substances; Dents in the lower bottom in the area of the magnetic stirrer connection
Volumetric volume (L): 3.000 L
Pressure in tank: pressure
Max. pressure (Bar): 0,44 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: yes

Position of manway: in the bottom
Outlet of tank: 50
Internal diameter tank: 1.800 mm
Cylinder height: 800 mm
Total height of tank: 2.200 mm

Empty weight tank: 650

SKU: 423191

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: Plant active substances; Dents in the lower bottom in the area of the magnetic stirrer connection
Agitator: No
Overpressure: 0.44 bar
Complete Drainage: Yes
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 3000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: Yes
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 800 mm
Internal diameter: 1.800 mm
Total Height: 2,200 mm

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer
Isolated: No
Weight: 650

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se