

3000 liter tank in Acid-proof 316



77 000 SEK /st exkl moms

Additional information: Chemistry; Tank lid, 1.4301 (Aisi 304); 1 cut connection in the lid (see photos)

Volumetric volume (L): 3.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Agitator: yes

Top: 2,50 mm

Cylinder: 5,40 mm

Bottom: 4,90 mm

Internal diameter tank: 1.580 mm

Outer diameter tank: 1.630 mm

Cylinder height: 1.420 mm

Total height of tank: 3.250 mm

SKU: 428555



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Chemistry; Tank lid, 1.4301 (Aisi 304); 1 cut connection in the lid (see photos); we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 3000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1,420 mm

Internal diameter: 1.580 mm

Total Height: 3.250 mm

Outer diameter: 1,630 mm

**Tjocklek på tank**

Bottom: 4.90 mm

Cylinder: 5,40 mm

Top: 2,50 mm

Mer

Isolated: No