

3000 liter tank in Acid-proof 316



92 000 SEK /st exkl moms

Additional information: chemistry; External steel parts sandblasted and primed; upper bottom can also be heated/cooled; some residues of previous content

Volumetric volume (L): 3.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: 135

Agitator: yes

Power: 2,20

Internal diameter tank: 1.400 mm

Outer diameter tank: 1.450 mm

Cylinder height: 1.650 mm

Total height of tank: 4.300 mm

SKU: 389867

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: chemistry; mild steel parts outside sandblasted and primed; upper bottom heat-/coolable as well; some residues of previous content; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 3000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.650 mm

Internal diameter: 1.400 mm

Total Height: 4.300 mm

Outer diameter: 1.450 mm

Stirrer

Power (kW): 2,20

Mer

Isolated: No