

3000 liter tank in Acid-proof 316



75 000 SEK /st exkl moms

Additional information: 500 mm manhole in the front bottom

Volumetric volume (L): 3.000 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 2 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 316 (V4A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN50

Internal diameter tank: 1.385 mm

Total height of tank: 1.960 mm

Total outer length: 2.830 mm

Empty weight tank: 900

SKU: 488211

Mer information



Product Description

Material: Acid-resistant 316
Model: Horizontal
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: single-skin
Max. Service Temperature: 100 °C
Mobile Tank: No, it is not.
Övrig information: 500 mm manhole in the front bottom
Agitator: No
Overpressure: 2 bars
Complete Drainage: Yes
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 3000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Internal diameter: 1.385 mm
Total Height: 1.960 mm



Mer

Isolated: No

Weight: 900