

30000 liter tank in Acid-proof 316



170 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: the conical top has slight deformation

Volumetric volume (L): 30.000 L

Max. density P (kg/m³): 1.000

Ra inner weld: 0,80

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no



Insulation: no

Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 4 adjustable feet

Manway(s): RVS 316

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Height manhole 1 (mm): 320 mm x H 430 mm

Tank outlet: inside Ø 80 mm

Outlet type: DIN11851

Agitator: no, optional

Distance from outlet to ground: 350 mm

Outer diameter tank: 2.750 mm

Cylinder height: 5.050 mm

Total height of tank: 6.700 mm

Empty weight tank: 2.500

SKU: 481579



Mer information

Product Description

Food-grade: Yes
Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank:
Configuration: single-skin
Maximum Product Density: 1000
Mobile Tank: No, it is not.
Övrig information: the conical top has slight deformation
Agitator: No
Ra Internal Weld: 0,80
Tank Shape: cylindrical
Complete Drainage:
Bottom Type: conical
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 30000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Food-grade: Yes
Tank Outlet: inside Ø 80 mm
Technical Drawing Available: No, it is not.
Outlet Type: DIN11851

Material Overview

Material: Acid-resistant 316
Fixing point(s): RVS 304



Tank Dimensions

Cylinder Height: 5,050 mm

Outlet Height to Ground: 350 mm

Total Height: 6.700 mm

Outer diameter: 2,750 mm

Mer

Isolated: No

Weight: 2.500