# 30000 liters tank in Stainless 304

294 000 SEK /st exkl moms

**Article type**: second-hand mixing tank
**Additional information**: 2 tanks with agitator, 1 tank without agitator; we can't give any guarantees about the agitator
**Volumetric volume (L)**: 30.000 L
**Pressure in tank**: ATM - atmosferic

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

**Material wet parts**: SS AISI 304 (V2A)

**Model**: vertical
**Configuration**: insulated
**Heat exchanger**: no
**Insulation**: yes
**Mobile tank**: no

**Top type**: conical
**Shape of tank**: cylindrical
**Bottom type**: conical
**Total discharge**: yes
**Fixation points**: 6 adjustable feet

**Outer jacket (ornamental wall)**: RVS 304
**Manway(s)**: RVS 304
**Fixation point(s)**: RVS 304
**Suitable for food industry**: yes
**Documents included**: no

**Technical drawing included**: no
**Registration plate on the tank**: yes
**Flange for agitator**: no
**Number of manways**: 1
**Position of manway**: at the top

**Agitator**: yes
**Agitator type**: tripad
**Position engine**: at the top
**Number of revolutions**: 20
**Power**: 4,25

**Voltage**: three-phase
**Internal diameter tank**: 2.900 mm
**Distance from outlet to ground**: 500 mm
**Outer diameter tank**: 3.000 mm
**Cylinder height**: 4.650 mm

**Feet height**: 1.000 mm
**Total height of tank**: 6.700 mm



Rodervägen 57
891 78 Bonässund
info@processoverskott.se

**Empty weight tank**: 2.600

**SKU:** 383657

## Mer information

### Product Description

Food-grade: Yes
Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank:
Configuration: insulated
Mobile Tank: No, it is not.
Övrig information: 2 tanks with agitator, 1 tank without agitator; we can't give any guarantees about the agitator
Agitator: Yes
Tank Shape: cylindrical
Complete Drainage:
Bottom Type: conical
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 30000

### Equipment

Product Dokument finns: No
Agitator flange: No
Nameplate: Yes
Food-grade: Yes
Technical Drawing Available: No, it is not.

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

**Material Overview**

Material: Stainless steel 304
Fixing point(s): RVS 304
Exterior cladding: RVS 304

**Tank Dimensions**

Cylinder Height: 4.650 mm
Height on legs: 1.000 mm
Internal diameter: 2,900 mm
Outlet Height to Ground: 500 mm
Total Height: 6.700 mm
Outer diameter: 3,000 mm

**Stirrer**

Power (kW): 4,25
Motor Position: at the top
Agitator Type: tripad
Speed (RPM): 20
Voltage: three-phase

**Mer**

Isolated: Yes
Weight: 2.600

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor