30000 liters tank in Stainless 304

267 000 SEK /st exkl moms

Additional information: chemistry; some residues of previous content
Volumetric volume (L): 30.000 L
Pressure in tank: ATM - atmosferic
Max. temperature (°C): 100 °C

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Outlet of tank: flange DN65
Agitator: yes
Top: 5 mm
Cylinder: 6 mm
Bottom: 5 mm

Internal diameter tank: 2.488 mm
Cylinder height: 5.350 mm
Total height of tank: 7.100 mm

SKU: 487088

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Max. Service Temperature: 100 °C
Mobile Tank: No, it is not.
Övrig information: chemistry; some residues of previous content; we can't give any guarantees about the agitator
Agitator: Yes
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 30000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 5.350 mm
Internal diameter: 2.488 mm
Total Height: 7.100 mm

Tjocklek på tank

Bottom: 5 mm
Cylinder: 6 mm
Top: 5 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer
Isolated: No

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor