

310 liter tank in Syrafast 316



49 000 SEK /st exkl moms

Additional information: Pharmacy (liquids; not hazardous to health); Test pressure: 1.5 bar; test temperature: 127° C; 1 step on the outside of the vessel; 1 head hole diameter 300 mm in the upper bottom; 2 welded brackets on the inside; small pressure points in the insulation jacket

Volumetric volume (L): 310 L

Pressure in tank: pressure



Max. pressure (Bar): 1 Bar

Min. pressure (Bar): 1 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Internal diameter tank: 600 mm

Outer diameter tank: 700 mm

Cylinder height: 750 mm

Total height of tank: 1.850 mm

Empty weight tank: 9.200

SKU: 399242

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: Pharmacy (liquids; not hazardous to health); Test pressure: 1.5 bar; Test temperature: 127 ° C .; 1 step on the outside of the tank; 1 head hole diameter 300 mm in the top bottom; 2 welded brackets

Additional Information2: inside; small dents in the insulation jacket

Agitator: No

Overpressure: 1 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 310

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 750 mm

Internal diameter: 600 mm

Total Height: 1.850 mm

Outer diameter: 700 mm



Mer

Isolated: Yes

Weight: 9.200