

3100 liter tank in Acid-proof 316



135 000 SEK /st exkl moms

Additional information: 1 dent in the insulation jacket

Volumetric volume (L): 3.100 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 6 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 165 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 6 Bar

Max onderdruk: 1 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 54

Internal diameter tank: 1.380 mm

Outer diameter tank: 1.580 mm

Cylinder height: 1.580 mm

Total height of tank: 3.150 mm

SKU: 401135

Mer information



Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: insulated
Max. Service Temperature: 165 °C
Mobile Tank: No, it is not.
Övrig information: 1 dent in the insulation jacket
Agitator: No
Overpressure: 6 bars
Complete Drainage: Yes
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 3100

Equipment

Product Dokument finns: No
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.580 mm
Internal diameter: 1.380 mm
Total Height: 3.150 mm
Outer diameter: 1.580 mm



Mer

Isolated: Yes