

31000 liters tank in Stainless 304



251 000 SEK /st exkl moms

Additional information: Beverage industry; Specified total height as per drawing (deviations possible); wall thickness 1. cylinder segment: 3.0 mm

Volumetric volume (L): 31.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder



Outlet of tank: 100

Agitator: yes

Number of revolutions: 29

Power: 5,50

Top: 3,50 mm

Cylinder: 2,50 mm

Bottom: 5 mm

Internal diameter tank: 2.730 mm

Cylinder height: 5.000 mm

Total height of tank: 7.200 mm

SKU: 474539

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Beverage industry; Specified total height as per drawing (deviations possible); wall thickness 1. cylinder segment: 3.0 mm; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 31000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 5,000 mm

Internal diameter: 2,730 mm

Total Height: 7.200 mm

Stirrer

Power (kW): 5,50

Speed (RPM): 29

**Tjocklek på tank**

Bottom: 5 mm

Cylinder: 2,50 mm

Top: 3,50 mm

Mer

Isolated: No