


## 3200 liter tank in Acid-proof 316



115 000 SEK /st exkl moms

item available on order

**Article type:** brand new storage tank - type K5-SL

**Additional information:** inner surface 0.8μ

**Volumetric volume (L):** 3.200 L

**Max. density P (kg/m³):** 1.500

**Ra inner weld:** 0,80

**Finish stainless steel:** 2B

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 100 °C

**Min. temperature (°C):** -10 °C



**Material wet parts:** SS AISI 316L (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** conical 15 °

**Shape of tank:** cylindrical

**Bottom type:** conical 15 °

**Total discharge:** yes

**Fixation points:** 3 adjustable feet

**Legs:** Set of baseplates and adjusting pieces included

**Manway(s):** RVS 316

**Gasket manway(s):** EPDM

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** yes, optional

**Technical drawing included:** yes

**Registration plate on the tank:** yes

**Inspection of:** TUV

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** at the top

**Height manhole 1 (mm):** 500 mm

**Tank outlet:** inside Ø 65 mm

**Outlet type:** DIN11851 male

**Total outlet valve:** no, optional

**Agitator:** no, optional

**Top:** 2 mm

**Cylinder:** 2 mm

**Bottom:** 2 mm

**Distance from outlet to ground:** 339 mm

**Outer diameter tank:** 1.393 mm

**Cylinder height:** 2.000 mm

**Feet height:** 576 mm

**Total height of tank:** 2.900 mm

**Empty weight tank:** 220

**SKU:** 380798

## Mer information



## Product Description

Food-grade: Yes  
Material: Acid-resistant 316  
Model: Vertical  
New / Used: Newly manufactured  
Operating Pressure in Tank:  
Stainless steel finish: 2b  
Configuration: single-skin  
Max. Service Temperature: 100 °C  
Maximum Product Density: 1500  
Min. Operating Temperature: -10 °C  
Mobile Tank: No, it is not.  
Övrig information: inner surface 0.8µ  
Agitator: No  
Ra Internal Weld: 0,80  
Tank Shape: cylindrical  
Complete Drainage:  
Bottom Type: conical 15 °  
Heating / Cooling: No  
Contact Surface: SS AISI 316L (V4A)  
Volume in liters: 3200

## Equipment

Agitator flange: No  
Nameplate: Yes  
Food-grade: Yes  
Inspected by: TUV  
Tank Outlet: inside Ø 65 mm  
Technical Drawing Available: Yes  
Outlet Type: DIN11851 male

## Material Overview

Material: Acid-resistant 316  
Fixing point(s): RVS 304



## **Tank Dimensions**

Cylinder Height: 2,000 mm

Height on legs: 576 mm

Outlet Height to Ground: 339 mm

Total Height: 2,900 mm

Outer diameter: 1.393 mm

## **Tjocklek på tank**

Bottom: 2 mm

Cylinder: 2 mm

Top: 2 mm

## **Mer**

Isolated: No

Weight: 220