

32000 liter tank in Acid-proof 316



170 000 SEK /st exkl moms

Additional information: Electric heating cable around parts of the vessel; diameter manhole cylinder 600 mm; insulation with larger cut-outs in insulation and insulating jacket; vessel is currently fitted with a transport lock; 1 pipe inside the vessel (see photos); manhole cover plated

Volumetric volume (L): 32.000 L

Pressure in tank: ATM - atmospheric



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: available

Top: 6 mm

Cylinder: 6 mm

Internal diameter tank: 2.300 mm

Outer diameter tank: 2.480 mm

Cylinder height: 7.250 mm

Total height of tank: 9.150 mm

SKU: 427385

Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Chemistry; Electric heating cables around parts of the tank; Diameter manhole cylinder 600 mm; Insulation with larger cutouts in insulation and insulation jacket; tank is currently provided with a

Additional Information2: transport lock; 1 pipe inside the tank (see photos); manhole cover plated; we can't give any guarantees about the heating/cooling jacket

Agitator: No

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 32000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 7.250 mm

Internal diameter: 2,300 mm

Total Height: 9.150 mm

Outer diameter: 2,480 mm

**Tjocklek på tank**

Cylinder: 6 mm

Top: 6 mm

Mer

Isolated: Yes