

32000 liter tank in GAP/Plast



144 000 SEK /st exkl moms

item available on order

Article type: brand new storage tank - type MP-SEF

Additional information: lid for manway in stainless-steel (SS); set of anchorage points in stainless-steel (SS) included; tank will be delivered with Food grade certificate.

Volumetric volume (L): 32.000 L

Max. density P (kg/m³): 1.300

Pressure in tank: ATM - atmosferic



Max. temperature (°C): 60 °C
Min. temperature (°C): -10 °C
Material wet parts: polyester (fiberglass)
Model: vertical
Configuration: single-skin

Heat exchanger: no
Insulation: no
Mobile tank: no
Top type: dished
Shape of tank: cylindrical

Bottom type: flat
Total discharge: no
Fixation points: attachment points
Outer jacket (ornamental wall): polyester
Manway(s): RVS 316

Valve: RVS 316L
Fixation point(s): RVS 304
Suitable for food industry: yes
Documents included: yes, optional
Technical drawing included: yes

Registration plate on the tank: yes
Flange for agitator: no
Number of manways: 1
Position of manway: cylinder
Height manhole 1 (mm): 320 mm x H 435 mm

Tank outlet: inside Ø 50 mm
Outlet type: Guillement 2"
Total outlet valve: yes
Agitator: no
Internal diameter tank: 3.000 mm

Outer diameter tank: 3.050 mm
Total height of tank: 5.082 mm
Empty weight tank: 828



SKU: 374642

Mer information

Product Description

Food-grade: Yes

Material: GAP/Plast

Model: Vertical

New / Used: Newly manufactured

Operating Pressure in Tank:

Configuration: single-skin

Max. Service Temperature: 60 °C

Maximum Product Density: 1300

Min. Operating Temperature: -10 °C

Mobile Tank: No, it is not.

Övrig information: lid for manway in stainless-steel (SS); set of anchorage points in stainless-steel (SS) included; tank will be delivered with Food grade certificate.

Agitator: No

Tank Shape: cylindrical

Complete Drainage: No, it is not.

Bottom Type: flat

Heating / Cooling: No

Contact Surface: polyester (fiberglass)

Volume in liters: 32000



Equipment

Agitator flange: No
Nameplate: Yes
Food-grade: Yes
Tank Outlet: inside Ø 50 mm
Technical Drawing Available: Yes
Outlet Type: Yelp 2"
Outlet Valve: Yes

Material Overview

Material: GAP/Plast
Fixing point(s): RVS 304
Exterior cladding: polyester

Tank Dimensions

Internal diameter: 3,000 mm
Total Height: 5.082 mm
Outer diameter: 3.050 mm

Mer

Isolated: No
Weight: 828