

32300 liters tank in Stainless 304



431 000 SEK /st exkl moms

Additional information: Sterile tank in a dairy; Double jacket with trickle ring - only suitable for unpressurized tempering; dents in the double jacket in the area of the support timbers; maximum temperature for sterilization in the inner tank 145° C; specified total height according to drawing; 1 former connection in the upper bottom was welded shut by the previous operator (see photos)

Volumetric volume (L): 32.300 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3,50 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 4.700 L

Max. working temperature: 50 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Top: 9,50 mm

Cylinder: 7,50 mm

Bottom: 7,50 mm

Internal diameter tank: 2.785 mm

Outer diameter tank: 3.000 mm

Cylinder height: 4.500 mm

Total height of tank: 8.100 mm

SKU: 490353



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single jacketed with heat-exchanger

Max. Service Temperature: 50 °C

Mobile Tank: No, it is not.

Övrig information: Sterile tank in a dairy; Double jacket with trickle ring – only suitable for unpressurized tempering; dents in the double jacket in the area of the support timbers; maximum temperature for

Additional Information2: sterilization in the inner tank 145° C; specified total height according to drawing; 1 former connection in the upper bottom was welded shut by the previous operator (see photos)

Agitator: No

Overpressure: 3,50 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 32300

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304



Tank Dimensions

Cylinder Height: 4.500 mm
Internal diameter: 2.785 mm
Total Height: 8.100 mm
Outer diameter: 3,000 mm

Tjocklek på tank

Bottom: 7,50 mm
Cylinder: 7,50 mm
Top: 9,50 mm

Mer

Isolated: No