

324 liter tank in Acid-proof 316



31 000 SEK /st exkl moms

Additional information: Vessel hanging on 3 "feet" in frame or ceiling; diameter of hand hole approx. 300 mm; outlet fitting missing; some residues of previous content

Volumetric volume (L): 324 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 134 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Outlet of tank: DN40 DIN 11851

Number of revolutions: 940 / 435

Power: 0.55 / 0.12

Top: 3,80 mm

Cylinder: 2,90 mm

Bottom: 2,80 mm

Internal diameter tank: 800 mm

Cylinder height: 430 mm

Total height of tank: 1.650 mm

SKU: 402653



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single-skin

Max. Service Temperature: 134 °C

Mobile Tank: No, it is not.

Övrig information: Tank hanging on 3 "feet" in frame or ceiling; Hand hole diameter approx. 300 mm; Outlet fitting is missing; some residues of previous content

Agitator: No

Overpressure: 3 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 324

Equipment

Product Dokument finns: No, it is not.

Agitator flange: Yes

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 430 mm

Internal diameter: 800 mm

Total Height: 1.650 mm

**Stirrer**

Power (kW): 0.55 / 0.12

Speed (RPM): 940 / 435

Tjocklek på tank

Bottom: 2,80 mm

Cylinder: 2,90 mm

Top: 3,80 mm

Mer

Isolated: No