

32760 liter tank in Acid-proof 316



247 000 SEK /st exkl moms

Additional information: Solvents; total height as per drawing

Volumetric volume (L): 32.760 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 1 Bar



Min. pressure (Bar): 0,25 Bar

Max. temperature (°C): 100 °C

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: flange DN100

Top: 10 mm

Cylinder: 5 mm

Bottom: 10 mm

Internal diameter tank: 2.800 mm

Cylinder height: 4.540 mm

Total height of tank: 6.450 mm

SKU: 476005

Mer information



Product Description

Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: single-skin
Max. Service Temperature: 100 °C
Mobile Tank: No, it is not.
Övrig information: Solvents; total height as per drawing
Agitator: No
Overpressure: 1 bar
Complete Drainage: Yes
Vacuum Pressure: 0,25 bar
Pressure Vessel: Yes
Heating / Cooling: No
Volume in liters: 32760

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Tank Dimensions

Cylinder Height: 4.540 mm
Internal diameter: 2,800 mm
Total Height: 6.450 mm

Tjocklek på tank

Bottom: 10 mm
Cylinder: 5 mm
Top: 10 mm



Mer

Isolated: No