

## 3300 liter tank in Acid-proof 316



80 000 SEK /st exkl moms

**Article type:** brand new storage tank - type K-SL

**Volumetric volume (L):** 3.300 L

**Max. density P (kg/m<sup>3</sup>):** 1.150

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no



**Top type:** conical 18 °

**Shape of tank:** cylindrical

**Bottom type:** conical 18 °

**Total discharge:** yes

**Fixation points:** 4 adjustable feet

**Legs:** Set of baseplates and adjusting pieces included

**Manway(s):** RVS 316

**Gasket manway(s):** parra rubber

**Valve:** RVS 316L

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** yes, optional

**Technical drawing included:** yes

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** headside

**Height manhole 1 (mm):** 500 mm

**Hinged lid:** yes

**CIP spray ball:** no

**Tank outlet:** inside Ø 65 mm

**Outlet type:** DIN11851 male

**Total outlet valve:** no, optional

**Adjustable legs:** yes

**Agitator:** no, optional

**Top:** 1,50 mm

**Cylinder:** 1,50 mm

**Bottom:** 3 mm

**Internal diameter tank:** 1.592 mm

**Distance from outlet to ground:** 230 mm

**Outer diameter tank:** 1.595 mm

**Cylinder height:** 1.500 mm

**Feet height:** 570 mm

**Total height of tank:** 2.500 mm



**Empty weight tank:** 200

**SKU:** 374909

## Mer information

### Product Description

Food-grade: Yes

Material: Acid-resistant 316

Model: Vertical

New / Used: Newly manufactured

Operating Pressure in Tank:

Configuration: single-skin

Maximum Product Density: 1150

Mobile Tank: No, it is not.

Agitator: No

Tank Shape: cylindrical

Complete Drainage:

Bottom Type: conical 18 °

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 3300

### Equipment

Agitator flange: No

Nameplate: Yes

Food-grade: Yes

Tank Outlet: inside Ø 65 mm

Technical Drawing Available: Yes

Outlet Type: DIN11851 male



## Material Overview

Material: Acid-resistant 316

Fixing point(s): RVS 304

## Tank Dimensions

Cylinder Height: 1.500 mm

Height on legs: 570 mm

Internal diameter: 1.592 mm

Outlet Height to Ground: 230 mm

Total Height: 2.500 mm

Outer diameter: 1.595 mm

## Tjocklek på tank

Bottom: 3 mm

Cylinder: 1,50 mm

Top: 1,50 mm

## Mer

Isolated: No

Weight: 200