

3300 liter tank in Acid-proof 316



75 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: ex beer tank, still some traces of beer in the tank

Volumetric volume (L): 3.300 L

Max. density P (kg/m³): 1.200

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes



Insulation: no

Mobile tank: no

Top type: conical 15 °

Shape of tank: cylindrical

Bottom type: conical

Bottom outlet: yes

Total discharge: yes

Fixation points: 4 adjustable feet

Type of HE on the cylinder: half pipe welded onto the outside of the innertank

Position HE: the middle part of the cilinder

Number of windings: 5

Height HE: 1.060 mm

Number of sections: 1

Water pressure HE: 2,50 Bar

Steam pressure HE: 1 Bar

Hydraulic test pressure: 3,75 Bar

Contact surface cylinder: 2,70 m²

Connection HE: 1"BSP male

Working temperature HE cylinder: 100 °C

Heat exchanger: RVS 304

Manway(s): RVS 316

Gasket manway(s): parra rubber

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: headside

Height manhole 1 (mm): 500 mm

Hinged lid: yes

CIP spray ball: yes

Tank outlet: inside Ø 65 mm



Outlet type: DIN11851

Adjustable legs: yes

Agitator: no

Top: 2 mm

Cylinder: 2,50 mm

Bottom: 2 mm

Internal diameter tank: 1.592 mm

Distance from outlet to ground: 230 mm

Outer diameter tank: 1.665 mm

Cylinder height: 1.500 mm

Total height of tank: 2.750 mm

Empty weight tank: 335

SKU: 482700

Mer information



Product Description

Food-grade: Yes

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Max. Service Temperature: 100 °C

Maximum Product Density: 1200

Mobile Tank: No, it is not.

Övrig information: ex beer tank, still some traces of beer in the tank

Agitator: No

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: conical

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 3300

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: No, it is not.

Food-grade: Yes

Tank Outlet: inside Ø 65 mm

Technical Drawing Available: No, it is not.

Outlet Type: DIN11851

Material Overview

Material: Acid-resistant 316

Fixing point(s): RVS 304



Tank Dimensions

Cylinder Height: 1.500 mm
Internal diameter: 1.592 mm
Outlet Height to Ground: 230 mm
Total Height: 2,750 mm
Outer diameter: 1.665 mm

Heat exchangers

Vapor pressure heat exchanger: 1 bar
Heat exchanger connection: 1"BSP male
Operating Temperature Heat Exchanger Cylinder: 100 °C
Height of heat exchanger: 1,060 mm
Bottom hydrostatic test pressure: 3.75 bar
Hydrostatic test pressure: 3.75 bar
Cylinder Contact Surface: 2,70 m²
Position värmeväxlare: the middle part of the cilinder
Type of Heat Exchanger on Cylinder: half pipe welded onto the outside of the innertank
Water Pressure Heat Exchanger: 2,50 bar

Tjocklek på tank

Bottom: 2 mm
Cylinder: 2,50 mm
Top: 2 mm

Mer

Heat Exchanger: RVS 304
Isolated: No
Weight: 335