

33725 liter tank in Acid-proof 316



397 000 SEK /st exkl moms

Additional information: Tempering only in the lower area of the cylinder & underbody (see pictures);
manhole cover VA-plated

Volumetric volume (L): 33.725 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 6 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 140 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 420 L

Max Overpressure: 4 Bar

Max. working temperature: 140 °C

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN100

Internal diameter tank: 2.400 mm

Total height of tank: 8.850 mm

Empty weight tank: 8.000

SKU: 567446



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single jacketed with heat-exchanger

Max. Service Temperature: 140 °C

Mobile Tank: No, it is not.

Övrig information: Chemistry; Tempering only in the lower area of the cylinder & underbody (see pictures); manhole cover VA-plated

Agitator: No

Overpressure: 6 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 33725

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Internal diameter: 2,400 mm

Total Height: 8.850 mm



Mer

Isolated: No

Weight: 8.000
