3400 liter tank in Stainless 304



61 000 SEK /st exkl moms

Article type: second-hand mixing tank
Additional information: the legs are raised with short steel leg ends, these are removable, see photos; we can't give any guarantees about the agitator
Volumetric volume (L): 3.400 L
Pressure in tank: pressure
Max. pressure (Bar): 2 Bar

Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Insulation: no

Mobile tank: no
Top type: dished
Shape of tank: cylindrical
Bottom type: dished
Total discharge: yes

Fixation points: 4 non adjustable feet
Manway(s): RVS 304
Gasket manway(s): unknown
Fixation point(s): RVS 304
Suitable for food industry: no

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Number of manways: 1

Position of manway: at the top
Height manhole 1 (mm): 500 mm
Tank outlet: inside Ø 80 mm
Agitator: yes
Agitator type: propeller agitator

Position engine: at the top
Distance from outlet to ground: 1.000 mm
Outer diameter tank: 1.600 mm
Cylinder height: 1.350 mm
Total height of tank: 3.700 mm

Empty weight tank: 800

SKU: 479400

Mer information

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: the legs are raised with short steel leg ends, these are removable, see photos; we can't give any guarantees about the agitator
Agitator: Yes
Overpressure: 2 bars
Tank Shape: cylindrical
Complete Drainage: Yes
Bottom Type: dish
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 3400

Equipment

Product Dokument finns: No
Agitator flange: No
Nameplate: Yes
Tank Outlet: inside Ø 80 mm
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304
Fixing point(s): RVS 304

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Tank Dimensions

Cylinder Height: 1.350 mm
Outlet Height to Ground: 1.000 mm
Total Height: 3,700 mm
Outer diameter: 1.600 mm

Stirrer

Motor Position: at the top
Agitator Type: propeller agitator

Mer

Isolated: No
Weight: 800