3472 liter tank in Acid-proof 316

81 000 SEK /st exkl moms

Additional information: Pharmaceutical Chemistry; The tank drawing is of an identical tank; 3 feet, stainless steel, screwed to 3 support brackets, stainless steel
Volumetric volume (L): 3.472 L
Pressure in tank: pressure and vacuum
Max. pressure (Bar): 2 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C
Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Position of manway: in the bottom
Outlet of tank: flange DN50
Top: 7,10 mm

Cylinder: 6 mm
Bottom: 5,10 mm
Internal diameter tank: 1.600 mm
Cylinder height: 1.300 mm
Total height of tank: 2.750 mm

SKU: 408425

Mer information

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: single-skin
Max. Service Temperature: 200 °C
Mobile Tank: No, it is not.
Övrig information: Pharmaceutical Chemistry; The tank drawing is of an identical tank; 3 feet, stainless steel, screwed to 3 support brackets, stainless steel
Agitator: No
Overpressure: 2 bars
Complete Drainage: Yes
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 3472

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.300 mm
Internal diameter: 1.600 mm
Total Height: 2,750 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Tjocklek på tank
Bottom: 5,10 mm
Cylinder: 6 mm
Top: 7,10 mm

Mer
Isolated: No