

348 liter tank in Syrafast 316



36 000 SEK /st exkl moms

Additional information: Hand hole DN 150; foot ends cut off

Volumetric volume (L): 348 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3,50 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN50

Cylinder: 3 mm

Bottom: 4 mm

Internal diameter tank: 700 mm

Cylinder height: 704 mm

Total height of tank: 1.650 mm

SKU: 570206

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single-skin

Max. Service Temperature: 200 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; Hand hole DN 150; foot ends cut off

Agitator: No

Overpressure: 3,50 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 348

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 704 mm

Internal diameter: 700 mm

Total Height: 1.650 mm



Tjocklek på tank

Bottom: 4 mm

Cylinder: 3 mm

Mer

Isolated: No