350 liter tank in Acid-proof 316

39 000 SEK /st exkl moms

Additional information: Outlet NW 40; hand hole NW 150; some residues of previous content
Volumetric volume (L): 350 L
Pressure in tank: pressure and vacuum
Max. pressure (Bar): 3,20 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 100 °C
Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: no
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Cylinder: 4 mm
Bottom: 4 mm
Internal diameter tank: 700 mm

Cylinder height: 690 mm
Total height of tank: 1.900 mm

SKU: 569669

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: single-skin
Max. Service Temperature: 100 °C
Mobile Tank: No, it is not.
Övrig information: Pharmacy; Outlet NW 40; hand hole NW 150; some residues of previous content
Agitator: No
Overpressure: 3,20 bar
Complete Drainage: No, it is not.
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 350

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 690 mm
Internal diameter: 700 mm
Total Height: 1.900 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Tjocklek på tank
Bottom: 4 mm
Cylinder: 4 mm

Mer
Isolated: No

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor