3500 liter tank in 304 stainless steel

66 000 SEK /st exkl moms

Additional information: Cone height appr. 1200 mm; pipe outlet; height-adjustable screws of the feet are no longer available
Volumetric volume (L): 3.500 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: 68
Internal diameter tank: 1.490 mm
Cylinder height: 1.500 mm
Total height of tank: 3.450 mm
Empty weight tank: 700

SKU: 398927

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: Cone height appr. 1200 mm; pipe outlet; height-adjustable screws of the feet are no longer available
Agitator: No
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 3500

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.500 mm
Internal diameter: 1.490 mm
Total Height: 3.450 mm

Mer

Isolated: No
Weight: 700

Rodervägen 57
891 78 Bonässund
info@processoverskott.se