3500 liter tank in Acid-proof 316

81 000 SEK /st exkl moms

Additional information: Pharmaceutical chemistry; Manhole cylinder DN 500; more technical documents available; manhole cover plated
Volumetric volume (L): 3.500 L
Pressure in tank: pressure and vacuum
Max. pressure (Bar): 3,20 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C
Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Max Overpressure: 3,20 Bar
Max onderdruk: 1 Bar

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: flange DN50

Top: 5,70 mm
Cylinder: 6 mm
Bottom: 4,80 mm
Internal diameter tank: 1.600 mm
Cylinder height: 1.300 mm

Total height of tank: 2.800 mm

SKU: 412199

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer information

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: single-skin
Max. Service Temperature: 200 °C
Mobile Tank: No, it is not.
Övrig information: Pharmaceutical chemistry ; Manhole cylinder DN 500; more technical documents available; manhole cover plated
Agitator: No
Overpressure: 3,20 bar
Complete Drainage: Yes
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 3500

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.300 mm
Internal diameter: 1.600 mm
Total Height: 2,800 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Tjocklek på tank
Bottom: 4,80 mm
Cylinder: 6 mm
Top: 5,70 mm

Mer
Isolated: No