3500 liter tank in Acid-proof 316

81 000 SEK /st exkl moms

Additional information: Pharmaceutical chemistry; 3 support brackets, Aisi 304; further technical documents available; different design of the manholes (see photos)
Volumetric volume (L): 3.500 L
Pressure in tank: pressure and vacuum
Max. pressure (Bar): 2 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C
Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside
Outlet of tank: flange DN50
Top: 7 mm

Cylinder: 6 mm
Bottom: 5,10 mm
Internal diameter tank: 1.600 mm
Cylinder height: 1.300 mm
Total height of tank: 2.300 mm

Empty weight tank: 770

SKU: 406505

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer information

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: single-skin
Max. Service Temperature: 200 °C
Mobile Tank: No, it is not.
Övrig information: Pharmaceutical chemistry; 3 support brackets, Aisi 304; further technical documents available; different design of the manholes (see photos)
Agitator: No
Overpressure: 2 bars
Complete Drainage: Yes
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 3500

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.300 mm
Internal diameter: 1.600 mm
Total Height: 2,300 mm

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Tjocklek på tank

Bottom: 5,10 mm
Cylinder: 6 mm
Top: 7 mm

Mer

Isolated: No
Weight: 770

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor