

3500 liter tank in Acid-proof 316



120 000 SEK /st exkl moms

Additional information: Pharmaceutical chemistry; 3 stainless steel 304 claws; double jacket for heating/cooling around the lower cylinder area and the lower base (double jacket was retrofitted and is not shown in the vessel drawing); slight differences in the design of the two vessels, e.g. differences in the manhole covers and the outlets (1 x outlet diameter approx. 53 mm, 1 x outlet diameter approx. 210 mm; see photos); insulation no longer present



Volumetric volume (L): 3.500 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 2 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 160 L

Max Overpressure: 1 Bar

Max. working temperature: 200 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 316

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Top: 7 mm

Cylinder: 6 mm

Bottom: 5,10 mm

Internal diameter tank: 1.600 mm

Outer diameter tank: 1.690 mm

Cylinder height: 1.300 mm

Total height of tank: 2.500 mm

Empty weight tank: 800



SKU: 453239

Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single jacketed with heat-exchanger

Max. Service Temperature: 200 °C

Mobile Tank: No, it is not.

Övrig information: Pharmaceutical chemistry; 3 support brackets, Aisi 304; double jacket for heating/cooling around the lower cylinder area and the lower bottom (double jacket was added later and is not shown in the

Additional Information2:

Agitator: No

Overpressure: 2 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 3500

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.



Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.300 mm

Internal diameter: 1.600 mm

Total Height: 2.500 mm

Outer diameter: 1.690 mm

Tjocklek på tank

Bottom: 5,10 mm

Cylinder: 6 mm

Top: 7 mm

Mer

Heat Exchanger: RVS 316

Isolated: No

Weight: 800