

35000 liter tank in Acid-proof 316



204 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: Equipped with 1 compartment.

Volumetric volume (L): 35.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316L (V4A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Shape of tank: cylindrical

Wall type: dished

Total discharge: yes

Fixation points: saddles



Manway(s): RVS 316

Gasket manway(s): unknown

Fixation point(s): steel-epoxy

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 3

Position of manway: at the top

Height manhole 1 (mm): 500 mm

Position 2nd manway: at the top

Height manhole 2 (mm): 500

CIP spray ball: no

Tank outlet: inside Ø 80 mm

Total outlet valve: yes

Agitator: no

Top: 5 mm

Cylinder: 5 mm

Bottom: 5 mm

Outer diameter tank: 2.500 mm

Total height of tank: 2.950 mm

Total outer length: 8.400 mm

Empty weight tank: 6.000

SKU: 378077



Mer information

Product Description

Food-grade: Yes
Material: Acid-resistant 316
Model: Horizontal
New / Used: Used
Operating Pressure in Tank:
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: Equipped with 1 compartment.
Agitator: No
Tank Shape: cylindrical
Complete Drainage:
Heating / Cooling: No
Contact Surface: SS AISI 316L (V4A)
Volume in liters: 35000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Food-grade: Yes
Tank Outlet: inside Ø 80 mm
Technical Drawing Available: No, it is not.
Outlet Valve: Yes

Material Overview

Material: Acid-resistant 316
Fixing point(s): steel-epoxy

Tank Dimensions

Total Height: 2,950 mm
Outer diameter: 2.500 mm



Tjocklek på tank

Bottom: 5 mm

Cylinder: 5 mm

Top: 5 mm

Mer

Isolated: No

Weight: 6.000