

35000 liters tank in Stainless 304



277 000 SEK /st exkl moms

Additional information: Fat storage tank in the food industry; Base made of lightweight concrete around the lower bottom (see photos); Manhole in the upper bottom DN 415; Manhole in the cylinder DN 600 (cover of the cylinder manhole is plated); tank outlet not at the lowest point (see photos)

Volumetric volume (L): 35.000 L

Pressure in tank: ATM - atmospheric



Max. temperature (°C): 75 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 98 L

Max Overpressure: 8 Bar

Max. working temperature: 174 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: in the bottom

Outlet of tank: flange DN80

Internal diameter tank: 2.796 mm

Outer diameter tank: 2.972 mm

Total height of tank: 7.600 mm

SKU: 410435

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Max. Service Temperature: 75 °C

Mobile Tank: No, it is not.

Övrig information: Fat storage tank in the food industry; Base made of lightweight concrete around the lower bottom (see photos); Manhole in the upper bottom DN 415; Manhole in the cylinder DN 600 (cover of the

Additional Information2: cylinder manhole is plated); tank outlet not at the lowest point (see photos); we can't give any guarantees about the heating/cooling jacket

Agitator: No

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 35000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: Yes

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Internal diameter: 2.796 mm

Total Height: 7.600 mm

Outer diameter: 2.972 mm

Mer

Isolated: Yes