

3532 liter tank in Acid-proof 316



169 000 SEK /st exkl moms

Additional information: Pharmaceutical Chemistry; 3 claws made of Fe; half-pipe coil around the lower cylinder area; 1 heating connection probably slightly bent; bump at the insulation jacket; manhole cover plated

Volumetric volume (L): 3.532 L

Pressure in tank: pressure and vacuum



Max. pressure (Bar): 3,20 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 103 L

Max Overpressure: 16 Bar

Max. working temperature: 100 °C

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Agitator: yes

Number of revolutions: 313

Power: 1,10

Internal diameter tank: 1.590 mm

Outer diameter tank: 1.800 mm

Total height of tank: 3.300 mm

Empty weight tank: 1.450

SKU: 398111



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: isolert med varmeveksler

Max. Service Temperature: 100 °C

Mobile Tank: No, it is not.

Övrig information: Pharmaceutical Chemistry; 3 support brackets made of Fe; half-coil around the lower cylinder area; 1 heating connection probably slightly bent ; bump at the insulation jacket; manhole cover plated;

Additional Information2: give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 3,20 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 3532

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.



Material Overview

Material: Acid-resistant 316

Tank Dimensions

Internal diameter: 1.590 mm

Total Height: 3.300 mm

Outer diameter: 1.800 mm

Stirrer

Power (kW): 1,10

Speed (RPM): 313

Mer

Heat Exchanger: RVS 304

Isolated: Yes

Weight: 1.450