

36000 liters tank in Stainless 304



215 000 SEK /st exkl moms

Additional information: 1 manhole approx. 360 x 440 mm in the front floor; 3 loose bearing saddles each made of Fe (galvanized); 1 cut-off connection diameter 100 mm at the bottom of the vessel; 1 vessel with a stronger dents in the transition cylinder/bottom as well as several smaller dents; 1 further tank with dents in the cylinder (see photos); some residues of previous content

Volumetric volume (L): 36.000 L



Pressure in tank: pressure

Max. pressure (Bar): 2 Bar

Min. pressure (Bar): 2 Bar

Material wet parts: SS AISI 304 (V2A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN100 DIN 11851

Cylinder: 2,80 mm

Bottom: 4,80 mm

Internal diameter tank: 3.290 mm

Outer diameter tank: 3.300 mm

Total outer length: 5.000 mm

SKU: 435164

Mer information



Product Description

Material: Stainless steel 304

Model: Horizontal

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single jacketed with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Brewery; 1 manhole approx. 360 x 440 mm in the front bottom; 3 loose bearing saddles each made of Fe (galvanized); 1 cut-off connection diameter 100 mm at the bottom of the cylinder; 1 tank with a

Additional Information2: larger dent in the cylinder/bottom transition as well as several smaller dents; 1 other tank with dents in the cylinder (see photos); some residues of previous content

Agitator: No

Overpressure: 2 bars

Complete Drainage: Yes

Vacuum Pressure:

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 36000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Internal diameter: 3.290 mm

Outer diameter: 3.300 mm

**Tjocklek på tank**

Bottom: 4,80 mm

Cylinder: 2,80 mm

Mer

Isolated: No